







- Product Type: Elevator Lobby
- Style Number: HG06B (15' option: HG01B/101)
- Color Number: 101
- Item Number: C-12
- Specs: 36 oz. 12' Width
- Pattern Repeat: 72" x 90.29"




- · Product Type: Corridor
- Style Number: HG07B (15' option: HG02B/202)
- Color Number: 202
- Item Number: C-11
- Specs: 36 oz. 12' Width
- Pattern Repeat: 72" x 72"



- Product Type: Guest Room
- Style Number: HG10B (12' W option: HG05B/505)
- · Color Number: 505
- · Item Number: C-01
- Specs: 32 oz. 13' Width
- Pattern Repeat: 4'4" x 4'



- Product Type: Meeting Room
- Style Number: HG08B (15' option: HG03B/303)
- · Color Number: 303
- Item Number: C-13
- Specs: 36 oz. 12' Width
- Pattern Repeat: 48" x 43.43"



- Product Type: Lobby
- Style Number: HG09B (15' option: HG04B/404)
- · Color Number: 404
- · Item Number: C-10
- Specs: 36 oz. 12' Width
- Pattern Repeat: 48" x 40"



- Product Type: Back of House
- Style Number: HG15B (15' available upon request)
- · Color Number: 150
- · Item Number: C-14
- Specs: 32 oz. 12' Width
- Pattern Repeat: 36" x 59"



- Product Type: Millwork Profile Wall Base
- Style Number: Monument MW-121-S4
- · Item Number: B-01
- · Color/Finish: 121 Cement
- Specs: 4.0" x .250"
- Area: Guest Rooms



- Product Type: Millwork Profile Wall Base
- Style Number: Monument MW-29-S4
- Item Number: B-06
- · Color/Finish: 29 Moon Rock
- · Specs: 4.0" x .250"
- · Area: Public Space, Fitness Center



ELEVATOR LOBBY, BROADLOOM



Issue Date: October 2019
Area Name: Elevator Lobby
Item Number: C-12 Supplier C

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

E-mail: jackie.passaro@tarkett.com

Web: www.tarkettna.com

Description: Carpet @ Elevator Lobby - Broadloom
Style Number: (Tufted) HG06B (15' option: HG01B/101)

Color: 101

Width: 12' (Alternate 15' available upon request)

Repeat: 72"W x 90.29"L

Type: Intrepid multi-level loop tip-shear
Content: Lextron Enviro-Green SD Nylon
Weight: 36 oz. tufted face weight
Primary Backing: Woven Polypropylene

Secondary Backing: Action Bac

Pile Height: .281" average pile thickness

Gauge: 1/10" Stitches Per Sq Inch: 10

Dye Method: Solution Dyed Installation Method: Broadloom

Flame Requirements: Meets or exceeds requirement Class 1









5508



5510


Notes:

Manufacturer to confirm the carpet meets Hilton Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- · All quantities to be verified by installer.
- All interior design submittals MUST be presented to projecthub.hilton.com for review prior to implementation.





CORRIDOR, BROADLOOM



Issue Date: October 2019
Area Name: Corridor
Item Number: C-11 Supplier C

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

E-mail: jackie.passaro@tarkett.com

Web: www.tarkettna.com

Description: Carpet @ Corridor - Broadloom (Tufted)

Style Number: HG07B (15' option: HG02B/202)

Color: 202

Width: 12' (Alternate 15' available upon

Repeat: request) 72"W x 72"L

Type: Intrepid multi-level loop tip-shear
Content: Lextron Enviro-Green SD Nylon
Weight: 36 oz. tufted face weight
Primary Backing: Woven Polypropylene

Secondary Backing: Action Bac

Pile Height: .281" average pile thickness

Gauge: 1/10"
Stitches Per Sq Inch: 10

Dye Method: Solution Dyed
Installation Method: Broadloom

Flame Requirements: Meets or exceeds requirement Class 1







8501





5510

5508

Notes:


Manufacturer to confirm the carpet meets Hilton Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- · All quantities to be verified by installer.
- All interior design submittals MUST be presented to projecthub.hilton.com for review prior to implementation.







Bloom Corridor







GUEST ROOM. BROADLOOM



Issue Date:October 2019Area Name:Guest RoomsItem Number:C-01 Supplier C

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

E-mail: jackie.passaro@tarkett.com

Web: www.tarkettna.com

Description: Carpet @ Guest Rooms - Broadloom

Style Number: HG10B Color: 505

Width: 13' (12' W option: HG05B/505)

Repeat: 4'4"W x 4'L

Type: Dynamics servo scroll loop tip-shear Content: Lextron Enviro-Green SD Nylon

Weight: 32 oz. Dynamics
Primary Backing: Woven Polypropylene
Secondary Backing: Unitary Action Bac

Pile Height: .281" average pile thickness

Gauge: 1/10"
Stitches Per Sq Inch: 10

Dye Method: Solution Dyed Installation Method: Broadloom

Flame Requirements: Meets or exceeds requirement Class 1









8501 8503

Notes:


Manufacturer to confirm the carpet meets Hilton Design and Construction standards as noted in section 2514.03.

Instructions:


- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- All quantities to be verified by installer.
- All interior design submittals MUST be presented to projecthub.hilton.com for review prior to implementation.







Bloom Guest Room



MEETING ROOM, BROADLOOM



October 2019 Issue Date: Area Name: Meeting Room Item Number: C-13 Supplier C

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

E-mail: jackie.passaro@tarkett.com

Web: www.tarkettna.com

Description: Carpet @ Meeting Room - Broadloom Style Number: (Tufted) HG08B (15' option: HG03B/303)

Color:

12' (Alternate 15' available upon request) Width:

48"W x 43.43"L Repeat:

Intrepid multi-level loop tip-shear Type: Content: Lextron Enviro-Green SD Nylon Weight: 36 oz. tufted face weight Primary Backing: Woven Polypropylene

Secondary Backing: Action Bac

Pile Height: .281" average pile thickness

1/10" Gauge: Stitches Per Sq Inch:

Dye Method: Solution Dyed Installation Method: Broadloom

Flame Requirements: Meets or exceeds requirement Class 1












Notes:

Manufacturer to confirm the carpet meets Hilton Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- · All quantities to be verified by installer.
- All interior design submittals MUST be presented to projecthub.hilton.com for review prior to implementation.





LOBBY, BROADLOOM



Issue Date: October 2019
Area Name: Lobby

Item Number: C-10 Supplier C

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721 706.277.3000

Phone: 706.277.3000 Contact: Jackie Passaro

E-mail: jackie.passaro@tarkett.com

Web: www.tarkettna.com

Description: Carpet @ Lobby - Broadloom (Tufted)
Style Number: HG09B (15' option: HG04B/404)

Color: 404

Width: 12' (Alternate 15' available upon

Repeat: request) 48"W x 40"L

Type: Intrepid mulit-level loop tip-shear
Content: Lextron Enviro-Green SD Nylon
Weight: 36 oz. tufted face weight
Primary Backing: Woven Polypropylene


Secondary Backing: Action Bac

Pile Height: .281" average pile thickness

Gauge: 1/10"
Stitches Per Sq Inch: 10

Dye Method: Solution Dyed Installation Method: Broadloom

Flame Requirements: Meets or exceeds requirement Class 1





Notes:

Manufacturer to confirm the carpet meets Hilton Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- · All quantities to be verified by installer.
- All interior design submittals MUST be presented to projecthub.hilton.com for review prior to implementation.







BACK OF HOUSE, BROADLOOM



Issue Date: October 2019
Area Name: Back of House
Item Number: C-14 Supplier C

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

E-mail: jackie.passaro@tarkett.com

Web: www.tarkettna.com

Description: Carpet @ Back of House - Broadloom
Style Number: (Tufted) HG15B (15' available upon request)

 Color:
 150

 Width:
 12'

Repeat: 36"W x 59"L

Type: DYN Loop Tip-Sheared

Content: Lextron Enviro-Green SD Nylon

Weight: 32 oz. tufted face weight
Primary Backing: Woven Polypropylene

Secondary Backing: Action Bac

Pile Height: .281" average pile thickness

Gauge: 1/10" Stitches Per Sq Inch: 10

Dye Method: Solution Dyed Installation Method: Broadloom

Flame Requirements: Meets or exceeds requirement Class 1

Notes:

Manufacturer to confirm the carpet meets Hilton Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- · All quantities to be verified by installer.
- All interior design submittals MUST be presented to projecthub.hilton.com for review prior to implementation.





GUEST ROOMS, WALL BASE



Issue Date: October 2019
Area Name: Guest Rooms

Item Number: B-01

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

E-mail: Jackie.Passaro@tarkett.com

Web: www.tarkettna.com

Description: Millwork Profile Wall Base
Product: Mandalay MW-121-H

Item Number: B-01

Color/Finish: 121 Cement Size/Dimension: 4.5"H x .375"D

Material: Proprietary thermoplastic rubber formulation

by manufacturer

Notes:

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication: Finish Sample

Instructions:

- · Must be of contract quality and suitable for commercial use.
- Installer to follow all manufacturer's installation guidelines for surface preparation and installation.
- · Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.



Mandalay 4.5" MW-XX-H



121 Cement CB



PUBLIC AREAS, WALL BASE



Issue Date: October 2019

Area Name: Public Areas- Fitness Center

Item Number: B-06

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

E-mail: Jackie.Passaro@tarkett.com

Web: www.tarkettna.com

Description: Millwork Profile Wall Base
Product: Mandalay MW-29-H6

Item Number: B-06

Color/Finish: 29 Moon Rock Size/Dimension: 6"H x .375"D

Material: Proprietary thermoplastic rubber formulation

by manufacturer

Notes:

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication: Finish Sample

Instructions:

- · Must be of contract quality and suitable for commercial use.
- Installer to follow all manufacturer's installation guidelines for surface preparation and installation.
- · Contractor to verify all sizes, quantities, and trim pieces required.
- · Contractor to install with a 45 degree miter on all corners.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.



Mandalay 6" MW-XX-H



29 Moon Rock WG

