











MARRIOTT TOWNEPLACE SUITES





Manufacturer: Tarkett

Address 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Jackie Passaro Contact:

E-mail: Jackie.Passaro@tarkett.com www.tarketthospitality.com Web:

TOWNEPLACE SUITES FLEX SPACE INSET RUG

TP236 Style: Color:

96" W x 156" L (Rug Size 8' x 13') Pattern Repeat: Construction: Intrepid Multi-Level LoopTip Shear 100% C.F. Lextron Enviro-Green Nylon Fiber:

Gauge: 1/10

Tufted Pile Weight: 36 oz. Per Sq. Yard

Pile Height: .250 High, .187 Med., .062 Low

Stitches Per Inch:

Primary Backing: Woven Polypropylene Unitary with Action Bac Secondary Backing:

Solution Dyed Dye:

72 oz. Total Weight: 15 ft. Width: Class 1 Radiant Panel: Less than 450 Smoke Density:

Warranty: 10-Year Wear Guarantee

Traffic Class: Heavy (Corridor/Public Spaces)

Enviro-Green yarn has 10% pre-consumer recycled content. Recommended for Moderate (Rooms) carpet traffic levels. NOTE: Due to the manufacturing process of a tip shear product, the

finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.

All Specifications subject to normal manufacturing tolerance.



Manufacturer: Tarkett

Address 285 Kraft Drive Dalton, GA 30721

706.277.3000

Phone: Contact: Jackie Passaro

E-mail: Jackie.Passaro@tarkett.com Web: www.tarketthospitality.com

TOWNEPLACE SUITES FLEX SPACE REPEATABLE BROADLOOM

Style: TP136 Color:

90" W x 134.67" L Pattern Repeat:

Construction: Intrepid Multi-Level LoopTip Shear Fiber: 100% C.F. Lextron Enviro-Green Nylon

Gauge: 1/10

Tufted Pile Weight: 36 oz. Per Sq. Yard

Pile Height: .250 High, .187 Med., .062 Low

Stitches Per Inch:

Primary Backing: Woven Polypropylene Unitary with Action Bac Secondary Backing:

Solution Dyed Dye:

Total Weight: 72 oz. Width: 15 ft. Radiant Panel: Class 1 Smoke Density: Less than 450

Warranty: 10-Year Wear Guarantee Traffic Class: Heavy (Corridor/Public Spaces)

Enviro-Green yarn has 10% pre-consumer recycled content. Recommended for Moderate (Rooms) carpet traffic levels.

NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.

All Specifications subject to normal manufacturing tolerance.









MARRIOTT TOWNEPLACE SUITES







Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

E-mail: Jackie.Passaro@tarkett.com
Web: www.tarketthospitality.com

TOWNEPLACE SUITES HUB 1 INSET RUG

Style: TP336 Color: 368

Pattern Repeat: 163" W x 111" L (Rug Size 13'7" x 9'3")

Construction: Intrepid Multi-Level LoopTip Shear

Fiber: 100% C.F. Lextron Enviro-Green Nylon

Gauge: 1/10

Tufted Pile Weight: 36 oz. Per Sq. Yard

Pile Height: .250 High, .187 Med., .062 Low

Stitches Per Inch: 24

Primary Backing: Woven Polypropylene Secondary Backing: Unitary with Action Bac

Dye: Solution Dyed
Total Weight: 72 oz.
Width: 15 ft.
Radiant Panel: Class 1
Smoke Density: Less than 450
Warranty: 10-Year Wear G

Warranty: 10-Year Wear Guarantee
Traffic Class: Heavy (Corridor/Public Spaces)

Enviro-Green yarn has 10% pre-consumer recycled content.

Recommended for Moderate (Rooms) carpet traffic levels.

NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.











MARRIOTT TOWNEPLACE SUITES





Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

E-mail: Jackie.Passaro@tarkett.com
Web: www.tarketthospitality.com

TOWNEPLACE SUITES HUB 2 INSET RUG

Style: TP436 Color: 468

Pattern Repeat: 163"W x 130"L (Rug Size 13'7" x 10'10")

Construction: Intrepid Multi-Level LoopTip Shear

Fiber: 100% C.F. Lextron Enviro-Green Nylon

Gauge: 1/10

Tufted Pile Weight: 36 oz. Per Sq. Yard

Pile Height: .250 High, .187 Med., .062 Low

Stitches Per Inch: 24

Primary Backing: Woven Polypropylene
Secondary Backing: Unitary with Action Bac

Dye: Solution Dyed

Total Weight: 72 oz. Width: 15 ft. Radiant Panel: Class 1

Smoke Density: Less than 450

Warranty: 10-Year Wear Guarantee
Traffic Class: Heavy (Corridor/Public Spaces)

Enviro-Green yarn has 10% pre-consumer recycled content.

Recommended for Moderate (Rooms) carpet traffic levels.

NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.



Manufacturer: Tarkett

Address: 285 Kraft Drive Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

E-mail: Jackie.Passaro@tarkett.com
Web: www.tarketthospitality.com

TOWNEPLACE SUITES HUB 3 REPEATABLE BROADLOOM

Style: TP536 Color: 568

Pattern Repeat: 180" W x 110.67" L

Construction: Intrepid Multi-Level LoopTip Shear
Fiber: 100% C.F. Lextron Enviro-Green Nylon

Gauge: 1/10

Tufted Pile Weight: 36 oz. Per Sq. Yard

Pile Height: .250 High, .187 Med., .062 Low

Stitches Per Inch: 24

Primary Backing: Woven Polypropylene Secondary Backing: Unitary with Action Bac

Dye: Solution Dyed

Total Weight: 72 oz.

Width: 15 ft.

Radiant Panel: Class 1

Smoke Density: Less than 450

Warranty: 10-Year Wear Guarantee
Traffic Class: Heavy (Corridor/Public Spaces)

Enviro-Green yarn has 10% pre-consumer recycled content.

Recommended for Moderate (Rooms) carpet traffic levels.

NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.





Tarkett Hospitality





