


# MODA SCHEME



# MODA SCHEME

## OVERVIEW



- Product Type: Guest Room
- Style Number: 00432
- Color Number: 268
- Specs: 32 oz. – 13' 6" Width
- Pattern Repeat: 162" W x 45.3" L



- Product Type: Replay Rubber Sports Floor
- Style Number: COMI-RA5
- Item Number: RF-01
- Color/Finish: Bluestone
- Specs: 24" x 24"
- Area: Fitness Center



- Product Type: Guest Room
- Style Number: 00532
- Color Number: 268
- Specs: 32 oz. – 13' 6" Width
- Pattern Repeat: 162" W x 45.3" L



- Product Type: Vinyl Composition Tile
- Style Number: VCT-1365
- Item Number: RF-02
- Color/Finish: 1635 Dark Taupe
- Specs: 12" x 12"
- Area: Back of House



- Product Type: Corridor
- Style Number: 00536
- Color Number: 368
- Specs: 36 oz. – 15' Width
- Pattern Repeat: 90" W x 45" L



- Product Type: Duracove Traditional Wall Base
- Style Number: DC(T)-469
- Item Number: RB-01
- Color/Finish: 469 Mystify
- Specs: 4" H
- Area: Guest Rooms, Corridors, Lobby, Back of House



- Product Type: Door Drop
- Style Number: 00736
- Color Number: 368
- Specs: 36 oz. – 15' Width
- Pattern Repeat: 30" H x 20.5" L



- Product Type: Duracove Traditional Wall Base
- Style Number: DC(T)-84
- Item Number: RB-02
- Color/Finish: 84 Blue Jean
- Specs: 4" H
- Area: Door Drops, Lobby Accent Wall, Fitness Center



# MODA SCHEME

GUEST ROOM





# MODA SCHEME

GUEST ROOM



# MODA SCHEME

## GUEST ROOM



Wyndham Spec: CP-01A  
Area Name: Guest Room

---

Manufacturer: Tarkett  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Jackie Passaro  
E-mail: Jackie.Passaro@tarkett.com  
Web: www.tarkettna.com

---

Style Number: 00432  
Design Number: D3898  
Thread-Up: ABCD  
Color: 268  
Width: 13' 6"  
Repeat: 162"W x 45.3"L  
Type: Servo Scroll Loop Tip Shear  
Content: Lextron Enviro-Green SD Nylon  
Weight: 32 oz. tufted face weight  
Primary Backing: Woven Polypropylene  
Secondary Backing: Action Bac  
Pile Height: .1875" average pile thickness  
Gauge: 1/10"  
Stitches Per Sq Inch: 10  
Dye Method: Solution Dyed  
Installation Method: Broadloom  
Flame Requirements: Meets or exceeds requirement Class 1

### Notes:

Manufacturer to confirm the carpet meets Wyndham Design and Construction standards as noted in section 2514.03.

### Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- All quantities to be verified by installer.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721



1	2	3	4
22.77%	30.65%	16.32%	30.26%
A-5057	B-8004	C-5522	D-8531

# MODA SCHEME

GUEST ROOM





# MODA SCHEME

## GUEST ROOM



Wyndham Spec: CP-01B  
Area Name: Guest Room

---

Manufacturer: Tarkett  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Jackie Passaro  
E-mail: Jackie.Passaro@tarkett.com  
Web: www.tarkettna.com

---

Style Number: O0532  
Design Number: D3914  
Thread-Up: ABCD  
Color: 268  
Width: 13' 6"  
Repeat: 162"W x 45.3"L  
Type: Servo Scroll Loop Tip Shear  
Content: Lextron Enviro-Green SD Nylon  
Weight: 32 oz. tufted face weight  
Primary Backing: Woven Polypropylene  
Secondary Backing: Action Bac  
Pile Height: .1875" average pile thickness  
Gauge: 1/10"  
Stitches Per Sq Inch: 10  
Dye Method: Solution Dyed  
Installation Method: Broadloom  
Flame Requirements: Meets or exceeds requirement Class 1




### Notes:

Manufacturer to confirm the carpet meets Wyndham Design and Construction standards as noted in section 2514.03.

### Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- All quantities to be verified by installer.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721





# MODA SCHEME

CORRIDOR





# MODA SCHEME

CORRIDOR



# MODA SCHEME

## CORRIDOR



Wyndham Spec: CP-03A  
Area Name: Corridor

---

Manufacturer: Tarkett  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Jackie Passaro  
E-mail: Jackie.Passaro@tarkett.com  
Web: www.tarkettna.com

---

Style Number: O0536  
Design Number: D3849  
Thread-Up: ABCD  
Color: 368  
Width: 15'  
Repeat: 90"W x 45"L  
Type: Servo Scroll Loop Tip Shear  
Content: Lextron Enviro-Green SD Nylon  
Weight: 36 oz. tufted face weight  
Primary Backing: Woven Polypropylene  
Secondary Backing: Action Bac  
Pile Height: .250" average pile thickness  
Gauge: 1/10"  
Stitches Per Sq Inch: 12  
Dye Method: Solution Dyed  
Installation Method: Broadloom  
Flame Requirements: Meets or exceeds requirement Class 1



### Notes:

Manufacturer to confirm the carpet meets Wyndham Design and Construction standards as noted in section 2514.03.

### Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- All quantities to be verified by installer.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721



1	2	3	4
18.23%	31.33%	24.87%	25.57%
A-5057	B-8004	C-5522	D-8531



# MODA SCHEME

DOOR DROP





# MODA SCHEME

## DOOR DROP



Wyndham Spec: CP-02A  
Area Name: Door Drop

---

Manufacturer: Tarkett  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Jackie Passaro  
E-mail: Jackie.Passaro@tarkett.com  
Web: www.tarkettna.com

---

Style Number: O0736  
Design Number: D3883  
Thread-Up: ABCD  
Color: 368  
Width: 15'  
Repeat: 30"W x 20.5"L  
Type: Servo Scroll Loop Tip Shear  
Content: Lextron Enviro-Green SD Nylon  
Weight: 36 oz. tufted face weight  
Primary Backing: Woven Polypropylene  
Secondary Backing: Unitary with Action Bac  
Pile Height: .250" average pile thickness  
Gauge: 1/10"  
Stitches Per Sq Inch: 12  
Dye Method: Solution Dyed  
Installation Method: Broadloom  
Flame Requirements: Meets or exceeds requirement Class 1



### Notes:

Manufacturer to confirm the carpet meets Wyndham Design and Construction standards as noted in section 2514.03.

### Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- All quantities to be verified by installer.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721



1	2	3	4
11.71%	51.76%	16.95%	19.58%
A-5057	B-8004	C-5522	D-8531



# MODA SCHEME

MEETING ROOM

BACK OF HOUSE BOOKKEEPING & MANAGER'S OFFICE



Wyndham Spec: CP-06A  
Area Name: Door Drop

---

Manufacturer: Tarkett  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Jackie Passaro  
E-mail: Jackie.Passaro@tarkett.com  
Web: www.tarkettna.com

---

Style Number: O0736  
Design Number: D3883  
Thread-Up: ABCD  
Color: 368  
Width: 15'  
Repeat: 30"W x 20.5"L  
Type: Servo Scroll Loop Tip Shear  
Content: Lextron Enviro-Green SD Nylon  
Weight: 36 oz. tufted face weight  
Primary Backing: Woven Polypropylene  
Secondary Backing: Unitary with Action Bac  
Pile Height: .250" average pile thickness  
Gauge: 1/10"  
Stitches Per Sq Inch: 12  
Dye Method: Solution Dyed  
Installation Method: Broadloom  
Flame Requirements: Meets or exceeds requirement Class 1



## Notes:

Manufacturer to confirm the carpet meets Wyndham Design and Construction standards as noted in section 2514.03.

## Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- All quantities to be verified by installer.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721



1  
11.71%  
A-5057

2  
51.76%  
B-8004

3  
16.95%  
C-5522

4  
19.58%  
D-8531

# MODA SCHEME

## FITNESS CENTER



Wyndham Spec: RF-01  
Area Name: Fitness Center

---

Manufacturer: Tarkett  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Jackie Passaro  
E-mail: Jackie.Passaro@tarkett.com  
Web: www.tarkett.com

---

Description: Replay Multi-Function & Sports Rubber Tile  
Product: COMI-RA5  
Item Number: RF-01  
Color/Finish: RA5 Bluestone  
Size/Dimension: 24" x 24"  
Material: Interlocking tiles made from recycled tires



RA5 Bluestone

### Notes:

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication: Finish Sample

### Instructions:

- Must be of contract quality and suitable for commercial use.
- Installer to follow all manufacturer's installation guidelines for surface preparation and installation.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721



# MODA SCHEME

BACK OF HOUSE



Wyndham Spec: RF-02  
Area Name: Back of House

---

Manufacturer: Tarkett  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Jackie Passaro  
E-mail: Jackie.Passaro@tarkett.com  
Web: www.tarkett.com

---

Description: Vinyl Composition Tile  
Product: VCT-1365  
Item Number: RF-02  
Color/Finish: 1365 Dark Taupe  
Size/Dimension: 12" x 12"  
Material: Phthalate-free, 100% recyclable



1365 Dark Taupe

## Notes:

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication: Finish Sample

## Instructions:

- Must be of contract quality and suitable for commercial use.
- Installer to follow all manufacturer's installation guidelines for surface preparation and installation.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721

# MODA SCHEME

## WALL BASE



Wyndham Spec: RB-01  
Area Name: Guest Rooms, Corridors, Lobby, Back of House

---

Manufacturer: Tarkett  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Jackie Passaro  
E-mail: Jackie.Passaro@tarkett.com  
Web: www.tarkett.com

---

Description: Traditional Duracove Rubber Wall Base  
Product: DC(T)-469  
Item Number: RB-01  
Color/Finish: 469 Mystify  
Size/Dimension: 4" H  
Material: Toeless for Carpeted Areas/  
With Toe for Resilient Areas

### Notes:

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication: Finish Sample

### Instructions:

- Must be of contract quality and suitable for commercial use.
- Installer to follow all manufacturer's installation guidelines for surface preparation and installation.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721



Traditional Rubber Wall Base  
4" Duracove Toeless (Carpet)



Traditional Rubber Wall Base  
4" Duracove With Toe (Resilient)



469 Mystify



# MODA SCHEME

## WALL BASE



Wyndham Spec: RB-02  
Area Name: Door Drops, Lobby Accent Wall, Fitness Center

---

Manufacturer: Tarkett  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Jackie Passaro  
E-mail: Jackie.Passaro@tarkett.com  
Web: www.tarkett.com

---

Description: Traditional Duracove Rubber Wall Base  
Product: DC(T)-84  
Item Number: RB-02  
Color/Finish: 84 Blue Jean  
Size/Dimension: 4" H  
Material: Toeless for Carpeted Areas/  
With Toe for Resilient Areas

### Notes:

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication: Finish Sample

### Instructions:

- Must be of contract quality and suitable for commercial use.
- Installer to follow all manufacturer's installation guidelines for surface preparation and installation.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721



Traditional Rubber Wall Base  
4" Duracove Toeless (Carpet)



Traditional Rubber Wall Base  
4" Duracove With Toe (Resilient)



84 Blue Jean