

# Imprint Collection

HOSPITALITY

The elements  
of artistic  
expression.

The building  
blocks of  
every work.

Inspired by mark making, the Imprint Collection celebrates the most basic elements of every artistic expression—the basic building blocks that come together to create shapes, shadows, movement and emotion. Each artist's set of marks is completely unique, like a fingerprint embedded into every piece





IMPRINT V IN776  
Color ???  
Custom Broadloom

make your mark.


IMPRINT I IN1020  
Color ???  
Custom Broadloom

Stroke of  
Genius.

IMPRINT VI LP739  
Color ???  
Custom Broadloom



*unique.*




IMPRINT II IN984  
Color ???  
Custom Broadloom



IMPRINT VII LP729  
Color ???  
Custom Broadloom





IMPRINT III IN1016  
Color ???  
Custom Broadloom

artistic  
expression.

IMPRINT IV IN986  
Color ???  
Custom Broadloom





A gestural  
language.

IMPRINT IV IN986  
Color ???  
Custom Broadloom




IMPRINT VI LP739  
Color ???  
Custom Broadloom



IMPRINT VIII LP886  
Color ???  
Custom Broadloom

building blocks.





OAK GROVE  
LVT

*a perfect  
pair.*



SANTORINI  
Tandem  
LVT



# Flooded Floorplan



**IMPRINT I  
IN1020**



**IMPRINT II  
IN984**



**IMPRINT III  
IN1016**



**IMPRINT IV  
IN986**



**IMPRINT V  
IN776**



**IMPRINT VI  
LP739**

<b>Construction:</b>	Intrepid	Intrepid	Intrepid
<b>Fiber Content:</b>	100% Solution Dyed Nylon	100% Solution Dyed Nylon	100% Solution Dyed Nylon
<b>Pattern Repeat:</b>			
<b>Tufted Pile Weight:</b>	41 oz. sq. yd.	41 oz. sq. yd.	41 oz. sq. yd.
<b>Finished Pile Height:</b>	High: 0.2813" Mid: 0.25" Low: 0.0625"	High: 0.2813" Mid: 0.25" Low: 0.0625"	High: 0.2813" Mid: 0.25" Low: 0.0625"
<b>Primary Backing:</b>	Woven Polypropylene	Woven Polypropylene	Woven Polypropylene
<b>Secondary Backing:</b>	Actionbac®	Actionbac®	Actionbac®
<b>Total Weight:</b>	Apx. 78 oz. sq. yd.	Apx. 78 oz. sq. yd.	Apx. 78 oz. sq. yd.
<b>Yarn Size:</b>	1360 2 Ply	1360 2 Ply	1360 2 Ply
<b>Standard Width:</b>	15'	15'	15'

<b>Construction:</b>	Intrepid	Intrepid	Intrepid
<b>Fiber Content:</b>	100% Solution Dyed Nylon	100% Solution Dyed Nylon	100% Solution Dyed Nylon
<b>Pattern Repeat:</b>			
<b>Tufted Pile Weight:</b>	41 oz. sq. yd.	41 oz. sq. yd.	41 oz. sq. yd.
<b>Finished Pile Height:</b>	High: 0.2813" Mid: 0.25" Low: 0.0625"	High: 0.2813" Mid: 0.25" Low: 0.0625"	High: 0.2813" Mid: 0.25" Low: 0.0625"
<b>Primary Backing:</b>	Woven Polypropylene	Woven Polypropylene	Woven Polypropylene
<b>Secondary Backing:</b>	Actionbac®	Actionbac®	Actionbac®
<b>Total Weight:</b>	Apx. 78 oz. sq. yd.	Apx. 78 oz. sq. yd.	Apx. 78 oz. sq. yd.
<b>Yarn Size:</b>	1360 2 Ply	1360 2 Ply	1360 2 Ply
<b>Standard Width:</b>	15'	15'	15'



**IMPRINT VII  
LP729**



**IMPRINT VIII  
LP886**

<b>Construction:</b>	Intrepid	Intrepid
<b>Fiber Content:</b>	100% Solution Dyed Nylon	100% Solution Dyed Nylon
<b>Pattern Repeat:</b>		
<b>Tufted Pile Weight:</b>	41 oz. sq. yd.	41 oz. sq. yd.
<b>Finished Pile Height:</b>	High: 0.2813" Mid: 0.25" Low: 0.0625"	High: 0.2813" Mid: 0.25" Low: 0.0625"
<b>Primary Backing:</b>	Woven Polypropylene	Woven Polypropylene
<b>Secondary Backing:</b>	Actionbac®	Actionbac®
<b>Total Weight:</b>	Apx. 78 oz. sq. yd.	Apx. 78 oz. sq. yd.
<b>Yarn Size:</b>	1360 2 Ply	1360 2 Ply
<b>Standard Width:</b>	15'	15'

## CONSTRUCTION OPTIONS

Through our ReStart® program, we ensure 100% of the flooring and samples returned are recycled or reused, guaranteed.

	Backing Systems	Warranty	Rollability	Recyclable	Moisture Management	Installation	Recycled Content
BROADLOOM	Super-Lok®	10 Year	Excellent	●		Direct Glue	
	LifeLong®	20 Year	Excellent	●	Modified British Spill Test*	Direct Glue	●
	ErgoStep®	10 Year	Good		Modified British Spill Test*	Direct Glue	●

Rollability is the ability to move (or roll) pieces of furniture such as chairs or beds on flooring

\*100 ml of dye is applied to the center of a carpet sample and left for 24 hours to confirm resistance to moisture transmission through the secondary backing



ReStart® includes Tarkett's third-party certified reclamation and recycling program that reclaims and recycles postconsumer flooring, installation waste, samples and portfolios. To initiate ReStart, contact customer service at 800.248.2878.

Product	Recycled Content	Bio-based Content*
LifeLong®	28-40%	
ErgoStep®	8-10%	2-3%

\*Bio-based content available upon request - minimum yardage requirements apply.

For a detailed analysis of how Tarkett products perform in environmental rating systems such as LEED, please visit our ecoScorecard at [tarkettna.com](http://tarkettna.com).

## Tarkett North America

30000 Aurora Road  
Solon, Ohio 44139  
800.248.2878

[tarkettna.com](http://tarkettna.com)

©2019 Tarkett USA Inc.

01/2019