



Accore™

LUXURY VINYL FLOORING

Escape into quiet luxury.

 **Tarkett** Hospitality

Accore™

Designed to deliver an outstanding experience.

With Accore™ luxury vinyl flooring, what you see is only the beginning of what you get. Discover better engineering in every detail—like heavy-duty resistance to high heels and rolling luggage, waterproof installation, and incredible

comfort underfoot. But our favorite part of Accore™ is its quiet disposition—with an IIC rating of 68 that lets you welcome guests with a tranquil escape.



Cocoa Elm 0012



Tawny Chevron 0020

Rigid Core

Overcomes subfloor imperfections, unlike traditional luxury vinyl tile.

Durable

Resists the stresses of modern day hospitality environments, from heavy rolling suitcases to high heels and heavy furniture.

Waterproof

Safe to use in guestrooms, kitchenettes and bathrooms.

Easy Installation

Its easy click, drop-lock system is faster than traditional installation systems, saving you time and money.

Quiet

IIC rating of 68 means superior sound absorption to drastically improve overall comfort.

Thermal Stability

designed to handle wide temperature fluctuations from windows and sunlight.



Barrel 0002

Make your design visions a reality through a variety of on-trend designs.

Accore™ is a rigid core construction engineered from the inside, out—and designed to outperform the extreme demands of today's hospitality environments. Accore™ resists heavy rolling luggage, high heels and heavy furniture, plus a variety of unavoidable mishaps like splashes and spills. The thermal stability provides resistance to buckling, denting and warping. With beautiful, authentic-looking designs, an easy, no-mess installation, and guaranteed long-term wear, Accore™ promises a better experience every step of the way.

Installation

Floating Floor	Quick and Simple Angle-Drop Click
Above/At/Below Grade	✓
3 Seasons Room	✓
No Temperature Limitations	✓
Acoustic Rating	Total IIC of 68 (6" Concrete Slab + Suspended Ceiling)





Colorways



Ashen 0001
7" x 48" and 7" x 60"



Barrel 0002
7" x 48" and 7" x 60"



Charcoal 0003
7" x 48" and 7" x 60"



Fog 0004
7" x 48" and 7" x 60"



Slate 0005
7" x 48" and 7" x 60"



Warm Birch 0006
7" x 48" and 7" x 60"



Alder Oak 0007
7" x 48" and 7" x 60"



Ashwood Oak 0008
7" x 48" and 7" x 60"

Colorways



Blush 0009
7" x 48" and 7" x 60"



Canyon Elm 0010
7" x 48" and 7" x 60"



Cerused Oak 0011
7" x 48" and 7" x 60"



Cocoa Elm 0012
7" x 48" and 7" x 60"



Drift Oak 0013
7" x 48" and 7" x 60"



Ecru Oak 0014
7" x 48" and 7" x 60"



Fawn Elm 0015
7" x 48" and 7" x 60"



Fumed Hickory 0016
7" x 48" and 7" x 60"


Colorways




Limed Oak 0017
7" x 48" and 7" x 60"



Natural Oak 0018
7" x 48" and 7" x 60"



Oxford Elm 0019
7" x 48" and 7" x 60"



Tawny Chevron 0020
7" x 48" and 7" x 60"



Vale Oak 0021
7" x 48" and 7" x 60"



Willow 0022
7" x 48" and 7" x 60"

Matching Accessories

Available in coordinating designs.



T-Mold



Universal Reducer



Stair Nose



Flush Mount Stair Nose

Specifications

Total Thickness	5 mm	
SPC Core	4 mm	
Acoustical Backing Layer	1 mm IXPE	
Wear Layer Thickness	20 mil	
Edge Treatment	Micro-Bevel	
Material	Phthalate Free, 100% Virgin Material	
Reusable Content	100% Reclaimable	
Plank Size	7" x 48"	7" x 60"
Sq. Ft. Per Carton	23.64 sq. ft.	23.62sq. ft.
Planks Per Carton	10	8
Cartons Per Pallet	55	55
Lbs. Per Carton	38 lbs.	38 lbs.
ASTM F2199 (Dimensional Stability)	Passes	
ASTM F1914 (Residual Indentation)	Passes (PSI Equivalent > 5,000 lbs.)	
ASTM F1514 (Heat Stability)	Passes	
ASTM F1515 (Light Stability)	Passes	
ASTM E2179 (Impact Sound Reductions)	Δ IIC \geq 20 dB	
IIC Impact Sound Reduction Rating	IIC 68	
ASTM F925 (Resistance to Chemicals)	Passes	
ASTM D5116 (VOC Requirements)	Passes < 0.1 mg/m ³	
Scratch/Scuff/Abrasion Properties	Excellent	
Installation System	Click, Drop Lock System	
Certification	FloorScore® and Assure™ Certification	
Residential Warranty	Lifetime	
Light Commercial Warranty	15-Year	
3-Seasons Warranty	10-Year	



Explore the Collection





Ashen 0001





Tarkett Hospitality

285 Kraft Drive
Dalton, GA 30721
800-871-3211

www.tarketthospitality.com

*For more accurate color and pattern representation,
we suggest ordering an actual product sample.*

©Tarkett USA Inc. 2023
Printed in the USA