

CHOICE HOTELS

Clarion



 **Tarkett** Hospitality

CHOICE HOTELS

Clarion Overview



Manufacturer: Tarkett
Address: 285 Kraft Drive
Dalton, GA 30721
Phone: 706.277.3000
Contact: Jackie Passaro
Jackie.Passaro@tarkett.com
Contact: Amber Osiecki
Amber.Osiecki@tarkett.com
Web: www.tarketthospitality.com

Choose Tarkett

- + Approved Styles
- + Lowest Pricing
- + Fast Delivery
- + 10-Year Warranty
- + Broadloom Carpet
- + Lextron Solution-Dyed Nylon

COSMO SCHEME



- Product Type: Guest Room
- Pattern: CR232
- Color: 120
- Construction: 32 oz. Dynamics
- Repeat: 48"W x 57"L
- Production Width: 12'



- Product Type: Public Space
- Pattern: CR236
- Color: 320
- Construction: 36 oz. Dynamics
- Repeat: 48"W x 47.5"L
- Production Width: 12'



- Product Type: Cove Base
- Pattern: 738S
- Color: 193 (8517)
- Specs: 4"
- Cove Base works for both Schemes

BREEZE SCHEME



- Product Type: Guest Room
- Pattern: CP132
- Color: 220
- Specs: 32 oz. Dynamics
- Pattern Repeat: 48W" x 84L"
- Production Width: 12'



- Product Type: Public Space
- Pattern: CP136
- Color: 120
- Specs: 36 oz. Dynamics
- Pattern Repeat: 12W" x 20"L
- Production Width: 12'

COSMO SCHEME

Clarion, Guest Room




Manufacturer: Tarkett
Address: 285 Kraft Drive
Dalton, GA 30721
Phone: 706.277.3000
Contact: Jackie Passaro
Jackie.Passaro@tarkett.com
Contact: Amber Osiecki
Amber.Osiecki@tarkett.com
Web: www.tarketthospitality.com

COSMO SCHEME

GUEST ROOM

Style: CR232
Color: 120
Construction: Dynamics – Servo-Scroll Loop Tip Shear
Fiber: 100% C.F. Lextron Enviro-Green Nylon
Gauge: 1/10
Tufted Pile Weight: 32 oz. Per Sq. Yard
Pile Height: .250" High - .062" Low
Stitches Per Inch: 10
Primary Backing: Woven Polypropylene
Secondary Backing: Unitary with Action Bac
Dye: Solution Dyed
Total Weight: 68 oz.
Width: 12 ft.
Radiant Panel: Class 1
Smoke Density: Less than 450
Pattern Repeat: 48"W x 57"L
Warranty: 10-Year Wear Guarantee
Traffic: Class Moderate (Rooms)



Enviro-Green yarn has 10% pre-consumer recycled content.

Recommended for Moderate (Rooms) carpet traffic levels.

NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.

COSMO SCHEME

Clarion, Guest Room



CR232 color 120
Guest Room
Construction: 32 oz. Dynamics
Repeat: 48"W x 57"L
Production Width: 12'

 **Tarkett** Hospitality


COSMO SCHEME

Clarion, Public Space



Manufacturer: Tarkett
Address: 285 Kraft Drive
Dalton, GA 30721
Phone: 706.277.3000
Contact: Jackie Passaro
Jackie.Passaro@tarkett.com
Contact: Amber Osiecki
Amber.Osiecki@tarkett.com
Web: www.tarketthospitality.com

COSMO SCHEME	PUBLIC SPACE
Style:	CR236
Color:	320
Construction:	Dynamics – Servo-Scroll Loop Tip Shear
Fiber:	100% C.F. Lextron Enviro-Green Nylon
Gauge:	1/10
Tufted Pile Weight:	36 oz. Per Sq. Yard
Pile Height:	.250" High - .062" Low
Stitches Per Inch:	12
Primary Backing:	Woven Polypropylene
Secondary Backing:	Unitary with Action Bac
Dye:	Solution Dyed
Total Weight:	72 oz.
Width:	12 ft.
Radiant Panel:	Class 1
Smoke Density:	Less than 450
Pattern Repeat:	48"W x 47.5"L
Warranty:	10-Year Wear Guarantee
Traffic:	Heavy (Corridor/Public Space)



Enviro-Green yarn has 10% pre-consumer recycled content.
Recommended for Moderate (Rooms) carpet traffic levels.
NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.

COSMO SCHEME

Clarion, Public Space



CR236 color 320
Public Space
Construction: 36 oz. Dynamics
Re-peat: 48W x 47.5"L
Production Width: 12'



BREEZE SCHEME


Clarion, Guest Room



Manufacturer: Tarkett
Address: 285 Kraft Drive
Dalton, GA 30721
Phone: 706.277.3000
Contact: Jackie Passaro
Jackie.Passaro@tarkett.com
Contact: Amber Osiecki
Amber.Osiecki@takrett.com
Web: www.tarketthospitality.com

GUEST ROOM

Style: CP132
Color: 220
Construction: Dynamics – Servo-Scroll Loop Tip Shear
Fiber: 100% C.F. Lextron Enviro-Green Nylon
Gauge: 1/10
Tufted Pile Weight: 32 oz. Per Sq. Yard
Pile Height: .250" High - .062" Low
Stitches Per Inch: 10
Primary Backing: Woven Polypropylene
Secondary Backing: Action Bac
Dye: Solution Dyed
Total Weight: 68 oz.
Width: 12 ft.
Radiant Panel: Class 1
Smoke Density: Less than 450
Pattern Repeat: 48"W x 84"L
Warranty: 10-Year Wear Guarantee
Traffic Class: Moderate (Rooms)



Enviro-Green yarn has 10% pre-consumer recycled content.


Recommended for Moderate (Rooms) carpet traffic levels.

NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.

BREEZE SCHEME

Clarion, Guest Room



CR132 color 220
Guest Room
Construction: 32 oz. Dynamics Re-
peat: 48"W x 84"L
Production Width: 12'

Tarkett Hospitality

BREEZE SCHEME

Clarion, Corridor



Manufacturer: Tarkett
Address: 285 Kraft Drive
Dalton, GA 30721
Phone: 706.277.3000
Contact: Jackie Passaro
Jackie.Passaro@tarkett.com
Contact: Amber Osiecki
Amber.Osiecki@tarkett.com
Web: www.tarketthospitality.com

CORRIDOR

Style: CP136
Color: 120
Construction: Dynamics – Servo-Scroll Loop Tip Shear
Fiber: 100% C.F. Lextron Enviro-Green Nylon
Gauge: 1/10
Tufted Pile Weight: 36 oz. Per Sq. Yard
Pile Height: .250" High - .062" Low
Stitches Per Inch: 12
Primary Backing: Woven Polypropylene
Secondary Backing: Unitary with Action Bac
Dye: Solution Dyed
Total Weight: 72 oz.
Width: 12 ft.
Radiant Panel: Class 1
Smoke Density: Less than 450
Pattern Repeat: 12"W x 20"L
Warranty: 10-Year Wear Guarantee
Traffic: Heavy (Corridor/Public Space)



1
31.53%
A-8519

2
63.19%
B-8517

Enviro-Green yarn has 10% pre-consumer recycled content.
Recommended for Moderate (Rooms) carpet traffic levels.
NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.

BREEZE SCHEME

Clarion, Corridor



CR136 color 120
Public Space
Construction: 35 oz. Dynamics
Repeat: 12"W x 20"L
Production Width: 12'

 **Tarkett** Hospitality