Clarion Pointe









Clarion Pointe, Compass Scheme





Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

706.277.3000 Phone:

Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Ian Fruchtman Contact:

lan@scottjordaninc.com

Web: www.tarketthospitality.com

Choose Tarkett

+ Approved Styles

+ Lowest Pricing

+ Fast Delivery

+ 10-Year Warranty

+ Broadloom Carpet

+ Lextron Solution-Dyed Nylon



- + Project Type: Corridor/Public Space
- + Pattern: A0010 (Double Boucle)
- + Colorway: Cozy Taupe (74208)
- + Installation: Horizontal or Vertical Ashlar
- + Tile Size: 9" x 36"
- + Specs: 15 oz.



- Product Type: Guest Room
- Style Number: CP132
- · Color Number: 220
- Specs: 32 oz. 12' W
- Pattern Repeat: 12" x 12"



- + Project Type: Corridor/Public Space
- + Pattern: A0010 (Double Boucle)
- + Colorway: Warm Sable (74209)
- + Installation: Horizontal or Vertical Ashlar
- + Tile Size: 9" x 36"
- + Specs: 15 oz.



- Product Type: Guest Room
- · Style Number: CP136
- · Color Number: 120
- Specs: 32 oz. 12' W
- Pattern Repeat: 24" x 24"



- + Project Type: Guest Rooms
- + Pattern: 04705 (Elevate)
- + Colorway: Regolith (51501)
- + Installation: Monolithic
- + Tile Size: 24" x 24"



- Product Type: Cove Base
- Style Number: 728S
- Color Number: 193 (8517)
- Specs: 4"
- Cove Base works for both Schemes



Clarion Pointe, Compass Scheme





Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Contact: Ian Fruchtman

lan@scottjordaninc.com

Web: www.tarketthospitality.com

Project Type: Corridor/Public Space
Style Name: A0010 Double Boucle
Color: 74208 Cozy Taupe

Pattern Repeat: 36" x 36" Radiant Panel: Class 1

Smoke Density: Less Than 450
Warranty: Lifetime Limited
Static Control: Below 3.0 KV

Environmental

Information: CRI Green Label Plus™ Certified
Construction: Stratatec® Patterned Symtex®

Gauge: 1/13th Tufted Pile Weight: 24 oz.

Finished Pile Height: High .25, Med .187, Low .0625

Additional Information

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.

- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.
- · All Specifications subject to normal manufacturing tolerance.





Clarion Pointe, Corridor







Clarion Pointe, Compass Scheme





Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Contact: Ian Fruchtman

lan@scottjordaninc.com

Web: www.tarketthospitality.com

Project Type: Corridor/Public Space
Style Name: A0010 Double Boucle
Color: 74209 Warm Sable

Pattern Repeat: 36" x 36" Radiant Panel: Class 1

Smoke Density: Less Than 450
Warranty: Lifetime Limited
Static Control: Below 3.0 KV

Environmental

Information: CRI Green Label Plus™ Certified
Construction: Stratatec® Patterned Symtex®


Gauge: 1/13th Tufted Pile Weight: 24 oz.

Finished Pile Height: High .25, Med .187, Low .0625

Additional Information

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.

- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.
- · All Specifications subject to normal manufacturing tolerance.





Clarion Pointe, Corridor







Clarion Pointe, Compass Scheme





Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Contact: Ian Fruchtman

lan@scottjordaninc.com

Web: www.tarketthospitality.com

Project Type: Guest Rooms
Style Name: 04705 Elevate
Color: 51501 Regolith
Tile Size: 24" x 24"
Radiant Panel: Class 1

Smoke Density: Less Than 450
Warranty: Lifetime Limited
Static Control: Below 3.0 KV

Environmental

Information: CRI Green Label Plus™ Certified
Construction: Stratatec® Patterned Loop

Gauge: 5/64

Tufted Pile Weight: 14 oz. Guest Rooms

Finished Pile Height: High .25, Med .187, Low .0625

Additional Information

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.

- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.
- · All Specifications subject to normal manufacturing tolerance.





Clarion Pointe, Guest Rooms







Clarion Pointe, Guest Rooms





Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Contact: Ian Fruchtman

lan@scottjordaninc.com

Web: www.tarkett.com

GUEST ROOM

Style: CP132 Color: 220

Construction: Dynamics – Servo-Scroll Loop Tip Shear Fiber: 100% C.F. Lextron Enviro-Green Nylon

Gauge: 1/10

Tufted Pile Weight: 32 oz. Per Sq. Yard
Pile Height: .250" High - .062" Low

Stitches Per Inch: 10

Primary Backing: Woven Polypropylene

Secondary Backing: Action Bac Dye: Solution Dyed

Total Weight: 68 oz.
Width: 12 ft.
Radiant Panel: Class 1

Smoke Density: Less than 450 Pattern Repeat: 48"W x 84"L

Warranty: 10-Year Wear Guarantee
Traffic Class: Moderate (Rooms)

Enviro-Green yarn has 10% pre-consumer recycled content.

Recommended for Moderate (Rooms) carpet traffic levels.

NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.









57.14% Δ-8517

2 21.05% B-X333

3 21.18% C-X392



Clarion Pointe, Guest Rooms







Clarion Pointe, Guest Rooms





Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Contact: lan Fruchtman

lan@scottjordaninc.com

Web: www.tarkett.com

CORRIDOR

Style: CP136 Color: 120

Construction: Dynamics – Servo-Scroll Loop Tip Shear Fiber: 100% C.F. Lextron Enviro-Green Nylon

Gauge: 1/10

Tufted Pile Weight: 36 oz. Per Sq. Yard
Pile Height: .250" High - .062" Low

Stitches Per Inch: 12

Primary Backing: Woven Polypropylene
Secondary Backing: Unitary with Action Bac

Dye: Solution Dyed

Total Weight: 72 oz.

Width: 12 ft.

Radiant Panel: Class 1

Smoke Density: Less than 450

Pattern Repeat: 12"W x 20"L

Warranty: 10-Year Wear Guarantee
Traffic: Heavy (Corridor/Public Space)

Enviro-Green yarn has 10% pre-consumer recycled content.

Recommended for Moderate (Rooms) carpet traffic levels.

NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.







1 31.53% A-8591 2 63.19% B-8517



Clarion Pointe, Guest Rooms





