


# CHOICE HOTELS

COMFORT INN / CITY SCHEME



 **Tarkett** Hospitality

# CHOICE HOTELS


COMFORT INN / CITY SCHEME




Manufacturer: Tarkett Hospitality  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Amber Osiecki  
Amber.Osiecki@tarkett.com  
Web: tarketthospitality.com

## Choose Tarkett Hospitality


- + Approved Styles
- + Lowest Pricing
- + Fast Delivery
- + 10-Year Warranty
- + Broadloom Carpet
- + Lextron Solution-Dyed Nylon



Product Type: Broadloom  
Guest Room  
Choice Item: CITY-CPT-001A  
Style Number: 1334B  
Color Number: 792  
Specs: 32 oz. - 12' and 15'  
Pattern Repeat: 36" x 36"




Product Type: Broadloom  
BOH  
Choice Item: CITY-CPT-021  
Style Number: 1334B  
Color Number: 792  
Specs: 32 oz. - 12' and 15'  
Pattern Repeat: 36" x 36"



Product Type: Carpet Tile  
Guest Room  
Choice Item: CITY-CPT-002A  
Style Number: I339T  
Color Number: 792  
Specs: 28 oz.  
Carpet Tile Size: 24" x 24"



Product Type: LVT  
Guest Room  
Choice Item: CITY-LVT-001A  
iD Latitude™  
Style Number: PLWD  
Color: 3522 Crème Oak  
Specs: 6" x 48" Plank



Product Type: Broadloom  
Corridor  
Choice Item: CITY-CPT-010A  
Style Number: I0836  
Color Number: 892  
Specs: 36 oz. - 12'  
Pattern Repeat: 72" x 112" Side Match



Product Type: LVT  
Public Space, All Areas  
Choice Item: CITY-LVT-002A  
iD Latitude™  
Style Number: PLWD  
Color: 3606 Chamois Oak  
Specs: 6" x 48" Plank



Product Type: Carpet Tile  
Corridor  
Choice Item: CITY-CPT-011A  
Style Number: I341T  
Color Number: 892  
Specs: 36 oz.  
Carpet Tile Size: 24" x 24"



Product Type: Broadloom  
Lobby  
Choice Item: CITY-CPT-020A  
Style Number: 1344B  
Color Number: 468  
Specs: 36 oz. - 15'  
Pattern Repeat: 90" x 86.3"

# CHOICE HOTELS

COMFORT INN / CITY SCHEME




Manufacturer: Tarkett Hospitality  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Amber Osiecki  
Amber.Osiecki@tarkett.com  
Web: tarketthospitality.com

## Choose Tarkett Hospitality

- + Approved Styles
- + Lowest Pricing
- + Fast Delivery
- + 10-Year Warranty
- + Broadloom Carpet
- + Lextron Solution-Dyed Nylon




Product Type: Resilient Wall Base  
Guest Room  
Choice Item: CITY-RB-001  
Millwork Reveal Wall Base  
Style Number: MW-32-F  
Color: 32 Pebble  
Specs: .25" W x 4.25" H x 8' L



Product Type: Threshold  
Guest Room  
Choice Item: CITY-TH-001  
Thresholds  
Style Number: VT-32-M2  
Color: 32 Pebble  
Specs: 5.5" W x 3' L



Product Type: Resilient Wall Base  
Public Space, Corridor  
Choice Item: CITY-RB-002  
Millwork Reveal Wall Base  
Style Number: MW-TA5-F  
Color: TA5 Colonial Grey  
Specs: .25" W x 4.25" H x 8' L



Product Type: Threshold  
Public Space  
Choice Item: CITY-TH-004  
Thresholds  
Style Number: VT-32-M2  
Color: 32 Pebble  
Specs: 5.5" W x 3' L



Product Type: Resilient Wall Base  
Public Space, Lobby  
Choice Item: CITY-RB-003  
Millwork Reveal Wall Base  
Style Number: MW-121-F  
Color: 121 Cement  
Specs: .25" W x 4.25" H x 8' L



Product Type: Resilient Wall Base  
Fitness  
Choice Item: CITY-RB-004  
Millwork Reveal Wall Base  
Style Number: MW-199-F  
Color: 199 Dockside  
Specs: .25" W x 4.25" H x 8' L

# CITY SCHEME

BROADLOOM / GUEST ROOM



Manufacturer: Tarkett Hospitality  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Amber Osiecki  
Amber.Osiecki@tarkett.com  
Web: tarketthospitality.com

---

Description: Guest Room  
Choice Item: CITY-CPT-001A  
Style Number: I334B Broadloom  
Color: 792  
Width: 12' or 15'  
Repeat: 36" x 36"  
Type: Dynamics - Multi Level Loop Servo Scroll Tip Shear  
Content: Lextron Enviro-Green Solution Dyed Nylon  
Weight: 32 oz. tufted face weight  
Primary Backing: Woven Polypropylene  
Secondary Backing: Action Bac  
Pile Height: .250" High, .187" Med, .062" Low  
Gauge: 1/10"  
Dye Method: Solution Dyed  
Installation Method: Broadloom  
Flame Requirements: Meets or exceeds requirement Class 1



## Additional Information:

- Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.
- Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.
- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.
- All Specifications subject to normal manufacturing tolerance.

# CITY SCHEME

CARPET TILE / GUEST ROOM



Manufacturer: Tarkett Hospitality  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Amber Osiecki  
Amber.Osiecki@tarkett.com  
Web: tarketthospitality.com

---

Description: Guest Room  
Choice Item: CITY-CPT-002A  
Style Number: I339T Carpet Tile  
Color: 792  
Carpet Tile Size: 24" x 24"  
Type: Dynamics – Servo-Scroll Loop Tip Shear  
Content: Lextron Enviro-Green Solution Dyed Nylon  
Weight: 28 oz. tufted face weight  
Primary Backing: Woven Polypropylene  
Secondary Backing: Ethos® Modular w/Omnicoat Technology  
Pile Height: .337" High, .218" Med, .125" Low  
Gauge: 1/10"  
Dye Method: Solution Dyed  
Installation Method: Vertical Ashlar only  
Flame Requirements: Meets or exceeds requirement Class 1



## Additional Information:

- Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104/CRI-105.
- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.
- All Specifications subject to normal manufacturing tolerance.

# CITY SCHEME

BROADLOOM / CORRIDOR



Manufacturer: Tarkett Hospitality  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Amber Osiecki  
Amber.Osiecki@tarkett.com  
Web: tarketthospitality.com

---

Description: Corridor  
Choice Item: CITY-CPT-010A  
Style Number: I0836 Broadloom  
Color: 892  
Width: 12'  
Repeat: 72" x 112" Side Match  
Type: Dynamics – Servo-Scroll Loop Tip Shear  
Content: Lextron Enviro-Green Solution Dyed Nylon  
Weight: 36 oz. tufted face weight  
Primary Backing: Woven Polypropylene  
Secondary Backing: Unitary Action Bac  
Pile Height: .250" High, .187" Med, .062" Low  
Gauge: 1/10"  
Dye Method: Solution Dyed  
Installation Method: Broadloom  
Flame Requirements: Meets or exceeds requirement Class 1



## Additional Information:

- Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.
- Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.
- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.
- All Specifications subject to normal manufacturing tolerance.

# CITY SCHEME


CARPET TILE / CORRIDOR



Manufacturer: Tarkett Hospitality  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Amber Osiecki  
Amber.Osiecki@tarkett.com  
Web: tarketthospitality.com

---

Description: Corridor  
Choice Item: CITY-CPT-011A  
Style Number: I341T Carpet Tile  
Color: 892  
Carpet Tile Size: 24" x 24"  
Type: Dynamics – Servo-Scroll Loop Tip Shear  
Content: Lextron Enviro-Green Solution Dyed Nylon  
Weight: 36 oz. tufted face weight  
Primary Backing: Woven Polypropylene  
Secondary Backing: Ethos® Modular w/Omnicoat Technology  
Pile Height: .337" High, .218" Med, .125" Low  
Gauge: 1/10"  
Dye Method: Solution Dyed  
Installation Method: Quarter Turn  
Flame Requirements: Meets or exceeds requirement Class 1



## Additional Information:

- Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104/CRI-105.
- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.
- All Specifications subject to normal manufacturing tolerance.

# CITY SCHEME


BROADLOOM / LOBBY



Manufacturer: Tarkett Hospitality  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Amber Osiecki  
Amber.Osiecki@tarkett.com  
Web: tarketthospitality.com

---

Description: Lobby  
Choice Item: CITY-CPT-020A  
Style Number: I344B Broadloom  
Color: 468  
Width: 15'  
Repeat: 90" x 86.3"  
Type: Dynamics - Multi Level Loop Servo Scroll Tip Shear  
Content: Lextron Enviro-Green Solution Dyed Nylon  
Weight: 36 oz. tufted face weight  
Primary Backing: Woven Polypropylene  
Secondary Backing: Unitary Action Bac  
Pile Height: .250" High, .187" Med, .062" Low  
Gauge: 1/10"  
Dye Method: Solution Dyed  
Installation Method: Broadloom  
Flame Requirements: Meets or exceeds requirement Class 1



## Additional Information:

- Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.
- Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.
- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.
- All Specifications subject to normal manufacturing tolerance.

# CITY SCHEME


BROADLOOM / BOH



Manufacturer: Tarkett Hospitality  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Amber Osiecki  
Amber.Osiecki@tarkett.com  
Web: tarketthospitality.com

---

Description: BOH  
Choice Item: CITY-CPT-021  
Style Number: I334B Broadloom  
Color: 792  
Width: 12' or 15'  
Repeat: 36" x 36"  
Type: Dynamics - Multi Level Loop Servo Scroll Tip Shear  
Content: Lextron Enviro-Green Solution Dyed Nylon  
Weight: 32 oz. tufted face weight  
Primary Backing: Woven Polypropylene  
Secondary Backing: Action Bac  
Pile Height: .250" High, .187" Med, .062" Low  
Gauge: 1/10"  
Dye Method: Solution Dyed  
Installation Method: Broadloom  
Flame Requirements: Meets or exceeds requirement Class 1



## Additional Information:

- Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.
- Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad.
- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.
- All Specifications subject to normal manufacturing tolerance.

# CITY SCHEME

LVT / GUEST ROOM




Manufacturer: Tarkett Hospitality  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Amber Osiecki  
Amber.Osiecki@tarkett.com  
Web: tarketthospitality.com

**+TECHTONIC®**  
PROTECTION

	<b>Standard</b>	<b>Tarkett Value</b>
Choice Item:		CITY-LVT-001A
Classification:	ASTM 1700	Class III, Type B (Solid Vinyl Floor)
Surface Treatment:		Techtonic®
Size:		6" x 48"
Total Thickness:	ASTM F386	0.120" (3.05 mm)
Wear Layer Thickness:	ASTM F410	20 mil (0.51mm)
Installation Method:		Glue-Down
Pattern:		iD Latitude™
Pattern Type:		Wood
Color:		3522 Crème Oak
Format Type:		Plank
Flexibility:	ASTM F137	Pass
Chemical Resistance:	ASTM F925	Passes
Static Load Limit:	ASTM F970	250 psi, $\leq 0.005"$
Heat Stability:	ASTM F1514	$\Delta E \leq 8.0$
Light Stability:	ASTM F1515	$\Delta E \leq 8.0$
Slip resistance:	ASTM D2047	SCOF $\geq 0.5$
Squareness:	ASTM F2055	Pass
Flammability:	ASTM E648	Class 1 ( $\geq 0.45 W/cm^2$ )
Residual Indentation:	ASTM F1914	Pass
Commercial Warranty:		20-year limited



iD Latitude™ Wood PLWD  
3522 Crème Oak



SureStart™ Underlayment  
50003

## **SureStart™ Underlayment 50003**

Product Type	Subflooring
Length	33.30 ft (10.1 m), 44.40 ft (13.5 m)
Total thickness	0.060" (1.5 mm)
Width	3 ft, 4.50 ft
Commercial Warranty	10 year limited light commercial

# CITY SCHEME

LVT / PUBLIC SPACE, ALL AREAS



Manufacturer: Tarkett Hospitality  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Amber Osiecki  
Amber.Osiecki@tarkett.com  
Web: tarketthospitality.com

**+TECHTONIC®**  
PROTECTION

	<b>Standard</b>	<b>Tarkett Value</b>
Choice Item:		CITY-LVT-002A
Classification:	ASTM 1700	Class III, Type B (Solid Vinyl Floor)
Surface Treatment:		Techtonic®
Size:		6" x 48"
Total Thickness:	ASTM F386	0.120" (3.05 mm)
Wear Layer Thickness:	ASTM F410	20 mil (0.51mm)
Installation Method:		Glue-Down
Pattern:		iD Latitude™
Pattern Type:		Wood
Color:		3606 Chamois Oak
Format Type:		Plank
Flexibility:	ASTM F137	Pass
Chemical Resistance:	ASTM F925	Passes
Static Load Limit:	ASTM F970	250 psi, $\leq 0.005"$
Heat Stability:	ASTM F1514	$\Delta E \leq 8.0$
Light Stability:	ASTM F1515	$\Delta E \leq 8.0$
Slip resistance:	ASTM D2047	SCOF $\geq 0.5$
Squareness:	ASTM F2055	Pass
Flammability:	ASTM E648	Class 1 ( $\geq 0.45$ W/cm <sup>2</sup> )
Residual Indentation:	ASTM F1914	Pass
Commercial Warranty:		20-year limited



iD Latitude™ Wood PLWD  
3606 Chamois Oak

**Tarkett Hospitality**

285 Kraft Drive  
Dalton, GA 30721  
800.871.3211

[www.tarketthospitality.com](http://www.tarketthospitality.com)