


MARRIOTT  
FOUR POINTS BY SHERATON



 **Tarkett** Hospitality

Manufacturer: Tarkett  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Jackie Passaro  
Jackie.Passaro@tarkett.com  
Web: www.tarkethospitality.com

### Choose Tarkett

- + Approved Styles
- + Lowest Pricing
- + Fast Delivery
- + 10-Year Warranty
- + Broadloom Carpet
- + Lextron Solution-Dyed Nylon



+ Product Type: Guest Room  
+ Style Number: FP132 (15988-15)  
+ Color Number: 168 (15988-15)  
+ Specs: 32 oz. – 12' W  
+ Pattern Repeat: 48" x 48"



+ Product Type: Cove Base  
+ Style Number: 738S  
+ Color Number: 5510  
+ Specs: 4" or 6"



+ Product Type: Door Drop  
+ Style Number: FP236 (15988-21)  
+ Color Number: 168 (15988-21)  
+ Specs: 36 oz. – 12' W  
+ Pattern Repeat: 18" x 18"



+ Product Type: Corridor  
+ Style Number: FP136 (15988-17)  
+ Color Number: 168 (15988-17)  
+ Specs: 36 oz - 12' W  
+ Pattern Repeat: 36" x 36"



# MARRIOTT

FOUR POINTS GUEST ROOMS



Manufacturer: Tarkett  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Jackie Passaro  
Jackie.Passaro@tarkett.com  
Web: www.tarkett.com

---

Style Name: FP132 Four Points  
Color: 168  
Project Type: Guest Rooms  
Machine Type: Dynamics  
Pattern Repeat: 48" x 48"  
Radiant Panel: Class 1  
Smoke Density: Less Than 450  
Warranty: 10 Year Wear Guarantee  
Recycled Content: Lextron Essentials has 10% pre-consumer recycled content.


Environmental Information: CRI Green Label Plus™ Certified  
Construction: D Dynamics-Servo Loop Scroll Tip Shear  
Gauge: 1/10th  
Tufted Pile Weight: 32 oz.  
Finished Pile Weight: 68 oz.  
Finished Pile Height: High .25, Med .1875, Low .0625



Enviro-Green yarn has 10% pre-consumer recycled content.  
Recommended for Moderate (Rooms) carpet traffic levels.  
NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.

MARRIOTT  
FOUR POINTS GUEST ROOMS



- + Product Type: Guest Rooms
- + Style Number: FP132 (15988-15)
- + Color Number: 168 (15988-15)
- + Specs: 32 oz. – 12' W
- + Pattern Repeat: 48" x 48"





Manufacturer: Tarkett  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Jackie Passaro  
Jackie.Passaro@tarkett.com  
Web: www.tarkett.com

---

Style Name: FP236 Four Points  
Color: 168  
Project Type: Public Space  
Machine Type: Dynamics  
Pattern Repeat: 18" x 18 "  
Radiant Panel: Class 1  
Smoke Density: Less Than 450  
Warranty: 10 Year Wear Guarantee  
Recycled Content: Lextron Essentials has 10% pre-consumer recycled content.

Environmental  
Information: CRI Green Label Plus™ Certified  
Construction: D Dynamics-Servo Loop Scroll Tip Shear  
Gauge: 1/10th  
Tufted Pile Weight: 36 oz.  
Finished Pile Weight: 72 oz.  
Finished Pile Height: High .25, Med .1875, Low .0625

Enviro-Green yarn has 10% pre-consumer recycled content.  
Recommended for Moderate (Rooms) carpet traffic levels.  
NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.



MARRIOTT  
FOUR POINTS PUBLIC SPACE



- + Product Type: Door Drop
- + Style Number: FP236 (15988-21)
- + Color Number: 168 (15988-21)
- + Specs: 36 oz. - 12' W
- + Pattern Repeat: 18" x 18"

 **Tarkett** Hospitality



Manufacturer: Tarkett  
Address: 285 Kraft Drive  
Dalton, GA 30721  
Phone: 706.277.3000  
Contact: Jackie Passaro  
Jackie.Passaro@tarkett.com  
Web: www.tarkett.com

---

Style Name: FP136 Four Points  
Color: 168  
Project Type: Corridor  
Machine Type: Dynamics  
Pattern Repeat: 36" x 36"  
Radiant Panel: Class 1  
Smoke Density: Less Than 450  
Warranty: 10 Year Wear Guarantee  
Recycled Content: Lextron Essentials has 10% pre-consumer recycled content.


Environmental Information: CRI Green Label Plus™ Certified  
Construction: D Dynamics-Servo Loop Scroll Tip Shear  
Gauge: 1/10th  
Tufted Pile Weight: 36 oz.  
Finished Pile Weight: 72 oz.  
Finished Pile Height: High .25, Med .1875, Low .0625



Enviro-Green yarn has 10% pre-consumer recycled content.  
Recommended for Moderate (Rooms) carpet traffic levels.  
NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.

MARRIOTT  
FOUR POINTS BY SHERATON



- + Product Type: Corridor
- + Style Number: FP136 (15988-17)
- + Color Number: 168 (15988-17)
- + Specs: 36 oz - 12' W
- + Pattern Repeat: 36" x 36"

 **Tarkett Hospitality**