







Manufacturer:

Tarkett

285 Kraft Drive Address: Dalton, GA 30721

706.277.3000 Phone: Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web:

www.tarketthospitality.com

Choose Tarkett

- + Approved Styles
- + Lowest Pricing
- + Fast Delivery
- + 10-Year Warranty
- + Broadloom Carpet
- + Lextron Solution-Dyed Nylon



Product Type: Lobby

• Style Number: Al102

· Color Number: 210

• Specs: 36 oz. - 12' Width

• Pattern Repeat: 48" x 67"



• Product Type: Guest Room

• Style Number: Al201

· Color Number: 510

• Specs: 32 oz. - 12' Width

Pattern Repeat: 8" x 20"



Product Type: Lobby

· Style Number: G0041 Savant

• Color Number: 76203 Sovereign

• Specs: 19 oz. - 9" x 36" tile

• Pattern Repeat: 72" x 100.80"



• Product Type: Guest Rooms

• Style Number: 03973 Street Life

• Color Number: 36102 Open Air

• Specs: 12 oz. - 24" x 24" tile

· Pattern Repeat: No



• Product Type: Public Space

Cove Base

• Style Number: 728S

· Color Number: 8518

• Specs: 4" or 6"



• Product Type: Guest Rooms

Cove Base

· Style Number: 728S

· Color Number: 3510

• Specs: 4" or 6"



Product Type: Lobby, Breakfast

Room Wall Base

• Style Number: Duracove

Traditional

Color Number: 55 Silver Grey

· Specs: 4" H



• Product Type: Guest Rooms Wall Base

· Style Number: Duracove Traditional

· Color Number: 469 Mistify

· Specs: 4" H









Manufacturer:

Tarkett

Address:

285 Kraft Drive Dalton, GA 30721

Phone: Contact: 706.277.3000 Jackie Passaro

Jackie.Passaro@tarkett.com

Web:

www.tarketthospitality.com

Choose Tarkett

- + Approved Styles
- + Lowest Pricing
- + Fast Delivery
- + 10-Year Warranty
- + Broadloom Carpet
- + Lextron Solution-Dyed Nylon



• Product Type: Corridor

• Style Number: AI101

• Color Number: 410

• Specs: 36 oz. - 12' Width

• Pattern Repeat: 90" x 144"



• Product Type: Back of House

· Style Number: Al202

· Color Number: 110

• Specs: 32 oz. - 12' Width

• Pattern Repeat: 24" x 38"



Product Type: Corridor

· Style Number: 04468 Element

· Color Number: 76004 Shadow Lines

• Specs: 16 oz. - 18" x 36" tile

· Pattern Repeat: no



• Product Type: Back of House

· Style Number: 11442 Saveur

· Color Number: 76203 Sovereign

• Specs: 12 oz. - 18" x 36" tile

• Pattern Repeat: 72" x 99.17"



 Product Type: Corridor, Meeting Room, Breakfast Room

• Style Number: Duracove Traditional

Color Number: TA9 Indigo

· Specs: 4" H



• Product Type: Meeting Room

• Style Number: Al103

· Color Number: 310

• Specs: 36 oz. - 12' Width

• Pattern Repeat: 48" x 84"



 Product Type: Guest Laundry & Laundry Room

Style: Tarkett VCT

• Color Number: 1824 Sandcastle

• Specs: 0.125" Thick - 12" x 12" tile



Product Type: Meeting Room

• Style Number: 11072 Marled Tweed

· Color Number: 27312 Indigo Tweed

• Specs: 22 oz. - 24" x 24" tile

· Pattern Repeat: No











Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Style Name Al102 AmericInn

Project Type: Lobby
Color: 210
Machine Type: Dynamics
Pattern Repeat: 48" x 67"
Radiant Panel: Class 1

Smoke Density: Less Than 450

Warranty: 10 Year Wear Guarantee

Recycled Content: Lextron Essentials has 10% pre-consumer

recycled content.

Environmental

Information: CRI Green Label Plus™ Certified

Construction: D Dynamics-Servo Loop Scroll Tip Shear

Gauge: 1/10th
Tufted Pile Weight: 36 oz.
Finished Pile Weight: 72 oz.

Finished Pile Height: High .25, Med .1875, Low .0625


- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.
- All Specifications subject to normal manufacturing tolerance.

















Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Standard Tarkett Value

Style: - Savant G0041

Color: - Sovereign 76203

Size: - 9" x 36" tile

Product type: - Lobby

Construction: - Tufted Patterned Syr

Construction: - Tufted Patterned Symtex
Pile construction: - Patterned Tipshear

Gauge: - 1/10" Stitches/Rows per Inch: - 10 /in

Pile thickness: ASTM D5848 0.075 " (1.91 mm)

Average pile height: - 0.235 " (6 mm)

Fiber system: - Dynex SD® Nylon

Dye method: - Solution Dyed

Secondary backing: - ethos® Modular with Omnicoat Technology™

Primary backing: - Synthetic Non-Woven Installation method: - Glue-Down
Pattern repeat length: - 100.80 "

Pattern repeat length: - 100.80 "
Pattern repeat width: - 72 "
Soil protection: Application

Soil protection: - Application Rate: 2% of Face Weight

Stain resistance: AATCC 175-08 ≥8

Flammability: ASTM E648 Class 1 (≥ 0.45 W/cm²)


Smoke density: ASTM E662 450 or Less

Surface flammablity: - Meets CAN/CGSB-4.2 No.27.6/

DOC FF 1-70

Electrostatic propensity: - ≤ 3.0 kV

Commercial warranty: - Lifetime Limited











- Product Type: LobbyStyle Number: G0041 Savant
- Color Number: 76203 Sovereign
- Specs: 19 oz. 9" x 36" tile

Tarkett Hospitality







Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Style Name: Al201 AmericInn

Color: 510

Project Type: Guest Room

Machine Type: Element

Pattern Repeat: 8" x 24"

Radiant Panel: Class 1

Smoke Density: Less Than 450

Warranty: 10 Year Wear Guarantee

Recycled Content: Lextron Essentials has 10% pre-consumer

recycled content.

Static Control: Below 3.5 KV

Environmental

Information: CRI Green Label Plus™ Certified

Construction: E Element-Enhanced Loop Tip Shear

Gauge: 1/10th
Tufted Pile Weight: 32 oz.
Finished Pile Weight: 68 oz.

Finished Pile Height: High .25, Med .1875, Low .0625

- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.
- · All Specifications subject to normal manufacturing tolerance.



















Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Standard **Tarkett Value** Pattern: Street Life 03973 Color: Open Air 36102 24" X 24" tile Size: Product Type: **Guest Rooms** Total thickness: ASTM F386 0.280 " (7.06 mm) Flammability: ASTM E648 Class 1 (≥ 0.45 W/cm²)

Smoke density: ASTM E662 450 or Less
Commercial warranty: - Lifetime Limited
Installation method: - Glue-Down
Surface treatment: ASTM F410 Eco-Ensure

ace treatment: ASTM F410 Eco-Ensure (Fluorine-Free Soil Protection)

Construction: - Stratatec® Patterned Loop

Pile construction: - Patterned loop pile

 Gauge:
 5/64"

 Stitches/Rows per Inch:
 10 /in

Pile thickness: ASTM D5848 0.070 " (1.83 mm) Average pile height: - 0.185 " (5 mm)

Fiber system: - Dynex SD® Nylon (Stain resist)

Dye method: - Solution Dyed

Secondary backing: - ethos® Modular with
Omnicoat Technology™

Primary backing: - Synthetic Non-Woven


Soil protection: - Application Rate: 2% of Face Stain

Resistance: AATCC 175-08 ≥8

Surface flammablity: - Meets CAN/CGSB-4.2 No.27.6/

DOC FF 1-70

Electrostatic propensity: - \leq 3.0 kV Length: - 24 " (610 mm) Width" - 24 " (610 mm) Face weight: - 12 oz/yd²

















Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Style Name: Al101 AmericInn

Color: 410
Project Type: Corridor
Machine Type: Dynamics
Pattern Repeat: 90" x 144"
Radiant Panel: Class 1

Smoke Density: Less Than 450

Warranty: 10 Year Wear Guarantee

Recycled Content: Lextron Essentials has 10% pre-consumer

recycled content.

Environmental

Information: CRI Green Label Plus™ Certified

Construction: D Dynamics-Servo Loop Scroll Tip Shear

Gauge: 1/10th
Tufted Pile Weight: 36 oz .
Finished Pile Weight: 72 oz.

Finished Pile Height: High .25, Med .1875, Low .0625

- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.
- · All Specifications subject to normal manufacturing tolerance.




















Stylr: Color:

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Standard Tarkett Value
- Element 04468
- Shadow Lines 76004

Size: - 18" X 36" tile
Type of product: - Corridor

Total thickness: ASTM F386 0.280 " (7.06 mm) Flammability: ASTM E648 Class 1 (\geq 0.45 W/cm²)

Smoke density: ASTM E662 450 or Less

Commercial warranty: - Lifetime Limited
Installation method: - Glue-Down

Surface treatment: ASTM E410 Fee-Engline

Surface treatment: ASTM F410 Eco-Ensure (Fluorine-Free Soil Protection)

Construction: - Stratatec® Patterned Loop
Pile construction: - Patterned loop pile

 Gauge:
 5/64"

 Stitches/Rows per Inch:
 16 /in

Pile thickness:ASTM D58480.100 " (2.57 mm)Average pile height:-0.185 " (5 mm)Fiber system:-Dynex® Nylon

Dye method:

Secondary backing:

Solution Dyed / Yarn Dyed
ethos® Modular with

Omnicoat Technology™
Primary backing: - Synthetic Non-Woven

Soil protection: - Application Rate: 2% of Face Weight
Surface flammablity: - Meets CAN/CGSB-4.2 No.27.6/

DOC FF 1-70

Electrostatic propensity: - $\leq 3.0 \text{ kV}$ Face weight: - 16 oz/yd^2

















Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Style Name: Al202 AmericInn Back of House

Color: 110

Machine Type: Dynamics

Pattern Repeat: 24" x 38"

Radiant Panel: Class 1

Smoke Density: Less Than 450

Warranty: 10 Year Wear Guarantee

Recycled Content: Lextron Essentials has

10% pre-consumer recycled content.

Environmental

Information: CRI Green Label Plus™ Certified

Construction: D Dynamics-Servo Loop Scroll Tip Shear

Gauge: 1/10th
Tufted Pile Weight: 32 oz.
Finished Pile Weight: 68 oz.

Finished Pile Height: High .25, Med .1875, Low .0625

Additional Information:

- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/ loop patterns.
- · All Specifications subject to normal manufacturing tolerance.











- Product Type: Back of House
 Style Number: Al202
 Color Number: 110
 Specs: 32 oz. 12´ Width

Tarkett Hospitality







Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Standard **Tarkett Value** Style: Saveur 11442 Color: Sovereign 76203 Type of product: Back of House Size: 18" x 36" tile Total thickness: ASTM F386 0.200 " (5.11 mm) Flammability: ASTM E648 Class 1 (≥ 0.45 W/cm²)

Smoke density: ASTM E662 450 or Less

Commercial warranty: - Lifetime Limited
Installation method: - Glue-Down

Surface treatment: ASTM F410 Eco-Ensure

(Fluorine-Free Soil Protection)

Construction: - Stratatec® Patterned Loop
Pile construction: - Patterned loop pile

Gauge - 5/64"

Stitches/Rows per Inch:-9.60 /inPile thickness:ASTM D58480.045 " (1.12 mm)Average pile height:-0.140 " (4 mm)Fiber system:-Dynex SD® Nylon

Dynex SD® Nylon (Stain resist)

Dye method: - Solution Dyed
Secondary backing: - ethos® Modular with

Omnicoat Technology™ Synthetic Non-Woven

Primary backing: - Synthetic Non-Woven

Pattern scale: - Large
Pattern repeat length: - 99.17 "
Pattern repeat width: - 72 "

Soil protection: - Application Rate: 2% of Face Weight

Stain Resistance: AATCC 175-08 ≥8

Surface flammablity: - Meets CAN/CGSB-4.2 No.27.6/

DOC FF 1-70

Electrostatic propensity: - \leq 3.0 kV Face weight: - 12 oz/yd^2

















Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Style Name: Al103 AmericInn

Color: 310

Project Type: Meeting Room

Machine Type: Dynamics

Pattern Repeat: 48" x 84"

Radiant Panel: Class 1

Smoke Density: Less Than 450

Warranty: 10 Year Wear Guarantee

Recycled Content: Lextron Essentials has 10% pre-consumer

recycled content.

Environmental

Information: CRI Green Label Plus™ Certified

Construction: D Dynamics-Servo Loop Scroll Tip Shear

Gauge: 1/10th
Tufted Pile Weight: 36 oz.
Finished Pile Weight: 72 oz.

Finished Pile Height: High .25, Med .1875, Low .0625

- Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns.
- All Specifications subject to normal manufacturing tolerance.

















Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Tarkett Value Standard Pattern Marled Tweed 11072 Color: Indigo Tweed 27312 Size: 24" x 24" tile Type of product Meeting Room Total thickness ASTM F386 0.195 " (5 mm) Class 1 (≥ 0.45 W/cm²) Flammability ASTM E648 Smoke density ASTM E662 450 or Less

Smoke densityASTM E662450 or LessCommercial warranty-Lifetime LimitedInstallation method-Glue-DownSurface treatmentASTM F410Eco-Ensure

Construction - Stratatec® Patterned Loop
Pile construction - Patterned loop pile

Gauge - 5/64" Stitches/Rows per Inch - 8 /in

Pile thickness ASTM D5848 0.090 " (2.24 mm)

Average pile height - 0.185 " (5 mm)

Fiber system - TDX® Nylon

Dye method - Solution Dyed


Secondary backing - ethos® Modular with Omnicoat Technology™

Primary backing - Synthetic Non-Woven

Soil protection - Application Rate: 2% of Face Weight
Surface flammablity - Meets CAN/CGSB-4.2 No.27.6/

DOC FF 1-70

Electrostatic propensity - \leq 3.0 kV Face weight - 22 oz/yd^2











WYNDHAM AMERICINN GUEST LAUNDRY/LAUNDRY ROOM





Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

	Standard	Tarkett Value
Style:	-	Tarkett VCT
Color:	-	Sandcastle 1824
Size:	-	12" x 12" tile
Classification	-	Vinyl Composition Floor
Tile (ASTM F1066)		
Total thickness	ASTM F386	0.125 " (3.18 mm)
Installation method	-	Glue-Down
Pattern	-	Mineral
Pattern type	-	Mineral
Format type	-	Tile

Sustainability, Environment & Indoor Air Quality

Commercial warranty

ReStart® Yes

Phthalate content Phthalate-free

(except recycled content)

5 years limited

TVOC emission $\leq 10 \ \mu g \ / \ m^3$

Floorscore certified Yes Pre Consumer recycled content 15% 1.90 % Post Consumer recycled content EPD available Yes NSF 332 Certification Compliant



