



LATITUDE STONE
PLST 7244 - Prairie
18" x 18"
LATITUDE ABSTRACT
Finelines PLFL 5103 - Greige
Finelines PLFL 5101 - Bisque
6" x 36"

















Tarkett Techtonic[™] delivers unequaled resistance to scratches, abrasions and scuffs.

Every flooring product has a coating, but only Tarkett has Techtonic: a groundbreaking solution that strengthens the durability of iD Latitude,™ giving you better performance for the price. By mixing rugged protection with a beautiful matte finish, Techtonic keeps your floors' surfaces looking better and lasting longer.



Resists scratches 40% better.

So you'll never have to choose between replacing a new floor, or living with the damage.

Just one exposed nail in the foot of a chair can scratch a new floor and produce whitening. In a series of laboratory experiments utilizing a diamond-tipped Taber Scratch tool, Techtonic performed significantly better than the industry market leader—withstanding greater pressure without scratching or scratch whitening.



18% more protection against abrasions.

Now you can move furniture with more freedom—and less concern.

Surface sheen is worn away by repetitive actions in high-traffic areas, such as the movement of chairs and tables. By protecting surfaces, Techtonic preserves not just their sheen, but your peace of mind.



Best-in-class scuff resistance.

Spend less time cleaning black marks (and more years enjoying spotless surfaces).

Those black marks from dragging shoes and chair casters? They're scuff marks caused by friction. No product on the market fights them better than Techtonic—a solution that keeps your floors performing better, year after year.




Immaculate stain defense.

Momentary mishaps shouldn't have permanent effects.

Techtonic's polyurethane coating provides an advanced level of security against stains, reducing the chances of damaged flooring (and expensive cleaning).

Construction of Luxury Vinyl Tile (LVT)



Top Layer/Protective Coating

Strengthened by Techtonic,™ this upper layer adds industry-leading scratch and abrasion defense, best-inclass scuff protection, and powerful stain resistance.

Wear Layer

A layer that adds wear-resistant durability.

Film

The layer of high-definition film on which the actual design is printed, giving the tile its pattern and color.

Base Layer

A foundation layer that adds to the dimensional stability of the product.

Techtonic vs. The Industry Leader

Developed by an international team and manufactured in North America, Techtonic offers best-in-class performance at an everyday price. In multiple tests, LVT topped with Techtonic repeatedly outperformed both our old protective coating and our #1 market-leading competitor.

Scratch Resistance:

40%

Better Than Tested Competition

Abrasion Resistance:


18%

Better Than Tested Competition


Techtonic

Former Tarkett™ 20 mil

Industry Leader







Great spaces. One surface at a time.

At Tarkett, we believe in placing people in the center of every space. So we've developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more productive workspaces that maximize return on investment.

The Tarkett Solution SPECtrum™ helps you expertly recommend a flooring platform for the specific needs of every space and every budget. And our full palette of colors, patterns and textures is coordinated to work together visually across platforms. So the endless balance of function, safety and longevity is always done on budget, in style, sustainably. Without compromise.

ID LATITUDE™ SOLUTION SPECTRUM:

- 1 LVT, iD Latitude, Urban Oak (PLWD 3603)
- 2 LVT, iD Latitude, Laurel Oak (PLWD 3523)
- 3 LVT, iD Latitude, Stria Marble, Breccia (PLSM 5104)
- 4 Soft Surface, Powerbond®/Modular, Blockade 11471 (Base Grey 54605)
- **5** LinoFloor xf^{2,™} Veneto Acoustiflor® (Ironed 702)
- 6 Tarkett VCT (Sugar Cane)
- 7 Soft Surface, Powerbond®/Modular, Plexus Colour IV 02875 (Baja Dunes 18574)
- 8 LVT, iD Inspiration™ 70, Vintage Teak (Natural)
- 9 Rubber, Mesto Configurations,™ Mystic Unicorn Light (PR6L)





Color may vary from actual swatch. To order a sample and to learn more about Tarkett Solution SPECtrum, please visit tarkettna.com.



iD Latitude™ Woods



^{*}Suggested Tarkett colors for finishing borders (wall base).


Coordinated Tarkett Accessories are a printed approximation. Please refer to the Color Guide for accurate color representation.

TA2 Saddlebrook*

PLWD 3307 European Cherry

PLWD 7521 Beech Natural

TA2 Saddlebrook*





PLWD 3405 Hickory TA2 Saddlebrook*



PLWD 7524 Natural Teak **TA2** Saddlebrook*



PLWD 3305 American Cherry **TA2** Saddlebrook*



PLWD 3401 Black Walnut TA2 Saddlebrook*

^{*}Suggested Tarkett colors for finishing borders (wall base).

Coordinated Tarkett Accessories are a printed approximation. Please refer to the Color Guide for accurate color representation.

iD Latitude™ Abstracts and Stones



^{*}Suggested Tarkett colors for finishing borders (wall base).

PLST 7235 Cristallo

48 Grey*

PLST 7242 Hearthstone

Coordinated Tarkett Accessories are a printed approximation. Please refer to the Color Guide for accurate color representation.

iD Latitude™ Abstracts and Stones



PLCN 3519 Charcoal **TA4** Gateway*




PLST 7244 Prairie 281 Grizzly*



PLCN 3511 Gypsum 280 Shoreline*



PLST 7214 Luna 280 Shoreline*



Choose Carbon Neutral with iD Latitude.™



Our sustainability journey is one step closer to its goal.

In addition to improving the health and wellness of the space with low TVOCs, **every installation of iD Latitude helps to decrease our carbon footprint, reduce greenhouse gases and reverse the effects of climate change.** We're offsetting carbon emissions and taking back our planet—together.

Tarkett's carbon offsets contribute to multiple global projects, including the reforestation of biodiversity hotspots in the Peruvian Amazon. Through our support of the Tambopata National Reserve and the Bahuaja-Sonene National Park, nearly 1.5 million acres have been protected and 10,000 acres have been restored—resulting in 4 million tons of CO₂ being avoided.

By offsetting carbon emissions, we're addressing the single largest threat to the health of our planet and taking action against climate change.

The work continues. We invite you to join us.

Learn more at www.tarkettna.com.

SIZE	18" x 18"	6" x 36"	6" x 48"
Stria Marble (PLSM)		•	
ColorGrain (PLCG)		•	
Finelines (PLFL)	•	٠	
Texgrain (PLTG)	•	•	
Latitude Woods (PLWD)			•
Latitude Stones (PLST)	•		

CARTON INFO	18" x 18"	6" x 36"	6" x 48"
Tiles per Carton	20	24	18
Sq. Ft. per Carton	45	36	36
Lbs. per Carton	45	36	36
Cartons per Pallet	60	66	72
Lbs. per Pallet	2700	2376	2600

EMBOSS OPTIONS	Linear Wood (LW)	Wood Grain (WG)	Quarry (QU)	Weathered Wood (WW)
Stria Marble (PLSM)	s			
ColorGrain (PLCG)	s			
Finelines (PLFL)	s			
Texgrain (PLTG)	s			
Latitude Woods (PLWD) 3603, 3530, 3305, 3307, 3401, 3522, 3308, 3405		s		
Latitude Woods (PLWD) 3605, 3523, 3606	s			
Latitude Woods (PLWD) 7521, 7523, 7524, 7526, 0512, 5134, 5136, 4695, 4694, 4693, 4692				s
Latitude Stones (PLST)			s	

iD LATITUDE™

*TECHTONIC" **LUXURY VINYL TILE + PLANK**

SPECIFICATIONS

Classification: ASTM F1700 Class III Type B

Total Thickness: 0.120" (3.0 mm) Wear Layer Thickness: 20 mil (0.50 mm) Finish: Techtonic™ **Edge Treatment:** Square Edge

Emboss: Standard shown on sample Warranty: 20-Year Limited Warranty

22 Wood, 14 Abstract, 8 Stone/Concrete Colors:

TESTING

250 psi, ≤0.005 inches Static Load: ASTM F970

Residual Indentation: ASTM F1914 Passes Slip Resistance: ≥0.5 SCOF ASTM D2047 Flammability: ASTM E648 ≥0.45W/cm² Smoke Density: ASTM E662 ≥450 **Chemical Resistance:** ASTM F925 Passes Resistance to Light: **ASTM F1515** ΔE≤8 Resistance to Heat: **ASTM F1514** ΔE≤8 **Dimensional Stability: ASTM F2199** Passes Flexibility: ASTM F137 Passes

SUSTAINABILITY ATTRIBUTES

Healthy Materials:

Carbon Footprint:

Material Health Assessment by Third-Party:

Indoor Air Quality:

Transparency Certifications by Third-Party:

Sustainable Building Programs:

Responsible Business Practice: Responsible Product Management:

Sustainable Manufacturing:

Access to Transparency Documents:

No Heavy Metals; Non-Toluene Ink System, Phthalate-Free

Third-Party Verified Carbon Neutral

Cradle-to-Cradle® principles: 100% of ingredients used have been assessed by a third-party,

EPEA, for environmental and human health impacts

Meets CDPH Standard Method v1.2-2017; FloorScore® Certification

Contributes to LEED® v4.0, LEED® v4.1, WELL

UN Sustainability Goals, CE100, World Economic Forum, UN Global Compact, C2C principles

Part of Tarkett ReStart® program

ISO 19001, ISO 14001, Closed Loop Water System

Transparency certifications and product details are located on the Tarkett website,

Tarkett.Ecomedes.com and mindful MATERIALS

ENVIRONMENTAL INFO: Please visit tarkettna.com for environmental information on all Tarkett products.







PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL COM/EL



FloorScore®





Tarkett North America

30000 Aurora Road Solon, Ohio 44139 800.248.2878

tarkettna.com

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample.

2559210001